Menutree Website:

- + Products / docu / downloads
 - + Hardware
 - + Remote maintenance

+S5

- + Analogue-telefone
 - + TELE-PROFessional (TP)

QR-Code Website:






Please make sure to update your drivers before using our products.

Remote-maintenance Siemens-S7-PLC with MPI/Profibus



Remote-maintenance of a Siemens-S7-controller with S7-LAN on MPI/Profibus via secure VPN-tunnel of the TeleRouter $% \mathcal{A} = \mathcal{A} = \mathcal{A}$




For your production flow you're always in need of an exact time? No problem, connect the SPS-Clock with 4 digital in-/outputs of your PLC, after synchronisation of the SPS-Clock the updating time can be read in a DB of the PLC.

Wireless around the Beckhoff-PLC



Move wirelessly around the Beckhoff-PLC and communicate for example ONLINE in the status



You have access to a on-site network and your PLC-device has no LAN-connection? No problem, plug the S7-LAN on the PLC-device and you will have immediate access to the PLC from afar.

Move around the machine wirelessly



Controlling/monitoring all around the machine with a PC => nobody has such a long cable with them


Move around the machine without fear that the cable will be too short or someone will run over it and damage it. Always ONLINE and intervene at the appropriate moment or trigger a circuit-breaker/button and observe the reaction of the machine, always ONLINE via WIFI on the machine.

LAN-WIFI-conversion solves all problems and possible dangers



Recognize cable breakage, contact problems and line faults. Retransmissions and failures are logged and reported. Early acting before total failure of the participant.

Documentation of oxygen concentration



The integratet current output issues the actual concentration in the range of 0/4 - 20mA via free definable limits.