

Menutree Website:


- + Products / docu / downloads
- + Hardware
- + Remote maintenance
- + S7
 - + Analogue-telephone
 - + MPI / PPI - Profibusmodem

QR-Code Website:




Please make sure to update your drivers before using our products.

Data backup S7-PLC PN-port on FTP-server via dig. IO




Via digital input triggered DB-backup/-restore without additional PC via PN-port to FTP-server

Data backup S7-PLC over MPI/Profibus on FTP-server via dig. IO




Via digital input triggered DB-backup/-restore without additional PC via MPI/Profibus to FTP-server

Alarming



Dont log with EtherSens-device only the process-values, also monitor them simultaneously. Once a predetermined threshold is exceeded/not reached, the EtherSens-device indicates this.

Current S7 panels via WLAN to the S5 controller



Connect each S7-TCP-IP panel to your S5.

Now also available via WLAN for mobile workstations.

PARALLEL several panels and even simultaneous PG connections possible.


Include hard-to-reach places in your ERP system.

Remote-maintenance Beckhoff-PLC



Remote-maintenance of a Beckhoff-controller with network-connection via secure VPN-tunnel of the TeleRouter

Universal coupling



You need a family of devices with which you can solve all your requirements? No problem! With the TELE-router you are able to establish a connection via analog, ISDN or PPPoE (DSL cable modem). The devices are compatible with each other in each case, so that no further additional hardware is needed.

Easiest configuration by included webserver



To configure ALF you don't need additional driver or special cables, you connect your PC via LAN or WLAN with ALF and over the integrated webserver you can configure the needed function.