Menutree Website:

+ Products / docu / downloads
  + Accessories
    + Antennas / Accessories
      + Magnetic base antenna

QR-Code Website:

Please make sure to update your drivers before using our products.

DHCP-server/client



You need a DHCP server on your network. Activate this functionality in your EtherSens-device and you have immediately a server in the network. Consistently, the EtherSens-device also can act as DHCP-slave.

Remote-maintenance Siemens-S7-PLC with PN-Port with firewall

Remote-maintenance of a Siemens-controller with network-connection via secure VPN-tunnel and scalable firewall

Standardised time



Should all EtherSens devices record time-synchronized in your equipment? By coupling with an NTP-time-server, all devices pick up the current time and adjust this.

Data backup S7-PLC PN-port on SD-card via dig. IO



Via digital input triggered DB-backup/-restore without additional PC via PN-port to SD-card

Worldwide access

No matter where you are, access to the EtherSens-device and its web-interface is available from everywhere.

Profinet-monitoring/-diagnosis inclusive alarm-messages

Detect intrusions and anomalies on your ProfiNet.
Early detection of malfunction and failures and malfunctions.
Easy installation, plug and play double socket.

E-Mail notification



Do you monitor processes and upon reaching a predetermined upper/lower limit, you need a message? Then activate in the device the limit-value-monitoring and you get this message. Furthermore, the device also sends its state and you are always up to date.