

Menutree Website:


- + Products / docu / downloads
- + Accessories
 - + Connection cable / adapter
 - + RS232
 - + OP-programming cable

QR-Code Website:




Please make sure to update your drivers before using our products.

Remote switching with MESSI to MESSI



The MESSI will be called by conventional Telephone or by mobile-phone. With a direct voice message and DTMF-tone dialling the corresponding output will be set-up. If a switching operation has come off a speech output will confirm it.

Interface-switch for PD/PC




You have to work with more PLC-devices, but no pleasure to switch on/off? No problem, you connect a device of the AG-Switch-family to the PLC-devices and your PD/PC and you will be able to communicate to both PLCs. The selection which PLC you make for AG-Switch-I via toggle switch and for the AG-Switch-II via 24V-controll input.

Detect failure of Profinet-devices



Identify devices that are likely to fail in the near future.
Detect defective devices that no longer respond to PN protocols.
Defective devices are reported by email and logged.
No long troubleshooting thanks to exact station information.


Data logging



Cyclic data logging or data logging on occasion is realisable. The log data will be transmitted e.g. once a day via e-mail.


Special data logger functions can be implemented on request and are not part of the basis functions.

Data backup S7-PLC over MPI/Profibus on SD-card via dig. IO




Via digital input triggered DB-backup/-restore without additional PC via MPI/Profibus to SD-card

Universal transfer of LAN-products into WLAN



You have a variety of LAN products and would like to communicate to them via WLAN?
No problem, with the WLAN-Klemme you will be able to contact all these products.

Simple and uncomplicated remote maintenance



Simple and uncomplicated remote-access to your devices/systems via the Internet
VPN-tunnel, registration at any portal is not necessary, activate the device and select and communicate with the opposite system
No great effort to implement access. Use of the devices without consulting IT, no time-consuming commissioning procedure
All your devices in your own cloud, no access from third-party CONNECT-devices to your devices/systems